

WireWorld Bruto advies prijslijst  
Juli 2023

| HDMI® CABLES                                                                      | Specifications                                                                                                                                        |                       | 0.6M                 | 1.0M                   | 2.0M                   | 3.0M                   | 5.0M                 |
|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|----------------------|------------------------|------------------------|------------------------|----------------------|
|                                                                                   |                                                                                                                                                       |                       | (24 in.)             | (40 in.)               | (6.5 feet)             | (10 feet)              | (16.4 feet)          |
|  | OFC conductors<br>Triple-shielded design<br>COMPOSILEX 3 insulation<br>Ethernet / eARC / HDR<br>UHS Certified Ultra 8K / 48Gbps                       | Speed>>><br>Retail>>> | RAH0.6M-48           | RAH1.0M-48             | RAH2.0M-48             | RAH3.0M-48             | RAH5.0M-48           |
|                                                                                   |                                                                                                                                                       |                       | <b>48G</b><br>40,00  | <b>48G</b><br>50,00    | <b>48G</b><br>60,00    | <b>48G</b><br>70,00    | <b>48G</b><br>120,00 |
|  | OFC conductors<br>Uni-Path Design<br>COMPOSILEX 3 insulation<br>Ethernet / eARC / HDR<br>Ultra 8K / 48G / HDCP2.3                                     | Speed>>><br>Retail>>> | SPH0.6M-48           | SPH1.0M-48             | SPH2.0M-48             | SPH3.0M-48             | SPH5.0M-48           |
|                                                                                   |                                                                                                                                                       |                       | <b>48G</b><br>70,00  | <b>48G</b><br>90,00    | <b>48G</b><br>110,00   | <b>48G</b><br>130,00   | <b>48G</b><br>220,00 |
|  | Silver-clad OFC conductors<br>Uni-Path Design<br>COMPOSILEX 3 insulation<br>Ethernet / eARC / HDR<br>Ultra 8K / 48G / HDCP2.3                         | Speed>>><br>Retail>>> | SSP0.6M-48           | SSP1.0M-48             | SSP2.0M-48             | SSP3.0M-48             |                      |
|                                                                                   |                                                                                                                                                       |                       | <b>48G</b><br>250,00 | <b>48G</b><br>300,00   | <b>48G</b><br>400,00   | <b>48G</b><br>500,00   | n/a                  |
|  | Solid Silver conductors<br>Uni-Path Design<br>COMPOSILEX 3 insulation<br>Isolated & Filtered Power Conductor<br>Ultra 8K / 48G / eARC / HDR / HDCP2.3 | Speed>>><br>Retail>>> | PSH0.6M-48           | PSH1.0M-48             | PSH2.0M-48             | PSH3.0M-48             |                      |
|                                                                                   |                                                                                                                                                       |                       | <b>48G</b><br>800,00 | <b>48G</b><br>1.000,00 | <b>48G</b><br>1.500,00 | <b>48G</b><br>2.000,00 | n/a                  |




| FIBER OPTIC HDMI® CABLES                                                          | Specifications                                                                                                                                                                          |                       | 5.0M                 | 10.0M                | 15.0M                | 20.0M                | 30.0M                |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
|                                                                                   |                                                                                                                                                                                         |                       | (16.4 feet)          | (33 feet)            | (50 feet)            | (65.6 feet)          | (100 feet)           |
|  | II-VI American Lasers<br>Silicon-Line German chipset<br>UHS Certified Ultra 8K / 48Gbps<br>Ethernet / eARC / HDR / HDCP2.3<br>UL-CL2/FT4 inwall rated                                   | Speed>>><br>Retail>>> | SOH5.0M-48           | SOH10.0M-48          | SOH15.0M-48          | SOH20.0M-48          | SOH30.0M-48          |
|                                                                                   |                                                                                                                                                                                         |                       | <b>48G</b><br>380,00 | <b>48G</b><br>430,00 | <b>48G</b><br>480,00 | <b>48G</b><br>530,00 | <b>48G</b><br>650,00 |
|  | VIVIDTECH NR System<br>II-VI American Lasers<br>Silicon-Line German chipset<br>UHS Certified Ultra 8K / 48Gbps<br>Ethernet / eARC / HDR / HDCP2.3<br>UL-CLP/FT6 commercial inwall rated | Speed>>><br>Retail>>> | STH5.0M-48           | STH10.0M-48          | STH15.0M-48          | STH20.0M-48          | STH30.0M-48          |
|                                                                                   |                                                                                                                                                                                         |                       | <b>48G</b><br>600,00 | <b>48G</b><br>650,00 | <b>48G</b><br>700,00 | <b>48G</b><br>770,00 | <b>48G</b><br>890,00 |


| HDMI / DVI ADAPTERS                                                      |                                                                                   |                             |                       |
|--------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------|-----------------------|
| HDMI FEMALE to HDMI FEMALE<br>(gold / silver / copper alloy contacts)    |  | Part Code >>><br>Retail >>> | HDMIFF<br>20,00       |
| HDMI RIGHT / LEFT ANGLE<br>(gold / silver / copper alloy contacts)       |  | Part Code >>><br>Retail >>> | HDMIANGL-R/L<br>20,00 |
| HDMI female to MINI HDMI MALE<br>(gold / silver / copper alloy contacts) |  | Part Code >>><br>Retail >>> | MINIHDMI<br>20,00     |
| HDMI FEMALE to DVI MALE<br>(gold / silver / copper alloy contacts)       |  | Part Code >>><br>Retail >>> | HDMFDVM<br>45,00      |
| HDMI MALE to DVI FEMALE<br>(gold / silver / copper alloy contacts)       |  | Part Code >>><br>Retail >>> | HDMMDVF<br>45,00      |




| ETHERNET CABLES                                                                     | Materials & Design                                                                                                                           |                              | Standard length cables |                    |                   |                     |                      | Custom length cables   |                       |                    | Bulk Cable    |
|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|------------------------|--------------------|-------------------|---------------------|----------------------|------------------------|-----------------------|--------------------|---------------|
|                                                                                     |                                                                                                                                              |                              | 1.0M<br>(40 in.)       | 2.0M<br>(6.5 feet) | 3.0M<br>(10 feet) | 5.0M<br>(16.4 feet) | 10.0M<br>(32.8 feet) | \$ / meter<br>of cable | \$ / foot<br>of cable | Assembly<br>Charge | 150M<br>spool |
|   | 23AWG Oxygen-Free Copper<br>COMPOSILEX 3 insulation<br>Tite-Shield™ triple-shielded twinax design<br>Precision 100 ohm impedance             | Part codes >>><br>Retail >>> | CHE1.0M                | CHE2.0M            | CHE3.0M           | CHE5.0M             | CHE10.0M             | CHEM000                |                       | CHETERM            | CHEM150       |
|                                                                                     |                                                                                                                                              |                              | 120,00                 | 150,00             | 180,00            | 240,00              | 390,00               | 30,00                  |                       | 90,00              | 4.250,00      |
|  | 23AWG Silver-clad Oxygen-Free Copper<br>COMPOSILEX 3 insulation<br>Tite-Shield™ triple-shielded twinax design<br>Precision 100 ohm impedance | Part codes >>><br>Retail >>> | STE1.0M                | STE2.0M            | STE3.0M           | STE5.0M             | STE10.0M             | STEM000                |                       | STETERM            | STEM150       |
|                                                                                     |                                                                                                                                              |                              | 320,00                 | 420,00             | 500,00            | 700,00              | 1.150,00             | 90,00                  |                       | 240,00             | 12.000,00     |
|  | 23AWG OCC-7N solid silver<br>COMPOSILEX 3 insulation<br>Tite-Shield™ triple-shielded twinax design<br>Precision 100 ohm impedance            | Part codes >>><br>Retail >>> | PSE1.0M                | PSE2.0M            | PSE3.0M           | PSE5.0M             | PSE10.0M             | PSEM000                |                       | PSETERM            | PSEM150       |
|                                                                                     |                                                                                                                                              |                              | 900,00                 | 1.500,00           | 2.100,00          | 3.300,00            | 6.300,00             | 600,00                 |                       | 300,00             | 90.000,00     |

| USB Cables in red are discontinued                                                  |                                     |                             |                                                                                      |                                               |                              |                  |                  |                  |                  |                  |
|-------------------------------------------------------------------------------------|-------------------------------------|-----------------------------|--------------------------------------------------------------------------------------|-----------------------------------------------|------------------------------|------------------|------------------|------------------|------------------|------------------|
| USB 2.0 / 3.0 / 3.1 DIGITAL AUDIO                                                   |                                     |                             | Design                                                                               | Materials                                     |                              | 0.3M<br>(12 in.) | 0.6M<br>(24 in.) | 1.0M<br>(20 in.) | 2.0M<br>(40 in.) | 3.0M<br>(5 feet) |
|  | CHROMA 8 USB2.0 A to B (C2AB)       | Available in September 2023 | Uni-Path Design<br>Isolated & Filtered Power Conductor<br>Precision 90-ohm impedance | Oxygen-Free Copper<br>COMPOSILEX 3 insulation | Part codes >>><br>Retail >>> | n/a              | C2AB0.6M         | C2AB1.0M         | C2AB2.0M         | C2AB3.0M         |
|                                                                                     |                                     |                             |                                                                                      |                                               |                              |                  | 40,00            | 45,00            | 50,00            | 60,00            |
|  | CHROMA 8 USB2.0 C to B (C2CB)       | Available in September 2023 | Uni-Path Design<br>Isolated & Filtered Power Conductor<br>Precision 90-ohm impedance | Oxygen-Free Copper<br>COMPOSILEX 3 insulation | Part codes >>><br>Retail >>> | n/a              | n/a              | C2CB1.0M         |                  |                  |
|                                                                                     |                                     |                             |                                                                                      |                                               |                              |                  |                  | 45,00            | n/a              | n/a              |
|  | CHROMA 8 USB2.0 A to Micro B (C2AM) |                             | Uni-Path Design<br>Isolated & Filtered Power Conductor<br>Precision 90-ohm impedance | Oxygen-Free Copper<br>COMPOSILEX 3 insulation | Part codes >>><br>Retail >>> | n/a              | C2AM0.6M         | C2AM1.0M         | C2AM2.0M         | C2AM3.0M         |
|                                                                                     |                                     |                             |                                                                                      |                                               |                              |                  |                  |                  |                  |                  |
|  | CHROMA 8 USB3.0 A to B (C3AB)       |                             | Uni-Path Design<br>Isolated & Filtered Power Conductor<br>Precision 90-ohm impedance | Oxygen-Free Copper<br>COMPOSILEX 3 insulation | Part codes >>><br>Retail >>> | n/a              | n/a              | C3AB1.0M         |                  | C3AB1.0M         |
|                                                                                     |                                     |                             |                                                                                      |                                               |                              |                  |                  |                  | n/a              |                  |
|  | CHROMA 8 USB3.0 A to Micro B (C3AM) |                             | Uni-Path Design<br>Isolated & Filtered Power Conductor<br>Precision 90-ohm impedance | Oxygen-Free Copper<br>COMPOSILEX 3 insulation | Part codes >>><br>Retail >>> | n/a              | C3AM0.6M         | C3AM1.0M         | C3AM2.0M         | C3AM3.0M         |
|                                                                                     |                                     |                             |                                                                                      |                                               |                              |                  |                  |                  |                  |                  |
|  | CHROMA 8 USB3.1 C to C (C31C)       |                             | Uni-Path Design<br>Isolated & Filtered Power Conductor                               | Oxygen-Free Copper                            | Part codes >>><br>Retail >>> | n/a              | C31C0.6M         | C31C1.0M         |                  | n/a              |
|                                                                                     |                                     |                             |                                                                                      |                                               |                              |                  | 70,00            | 75,00            |                  |                  |




|                                                                                   |                                                                                      |                                                               |                              |                    |                    |                    |                    |                      |  |
|-----------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------|------------------------------|--------------------|--------------------|--------------------|--------------------|----------------------|--|
|                                                                                   | Precision 90-ohm impedance                                                           | COMPOSILEX 3 insulation                                       |                              |                    |                    |                    |                    |                      |  |
|  | Uni-Path Design<br>Isolated & Filtered Power Conductor<br>Precision 90-ohm impedance | Silver-Plated OFC<br>COMPOSILEX 3 insulation                  | Part codes >>><br>Retail >>> | n/a                | n/a                | U2AB1.0M           | U2AB2.0M           | U2AB3.0M             |  |
|  | Uni-Path Design<br>Isolated & Filtered Power Conductor<br>Precision 90-ohm impedance | Silver-Plated OFC<br>COMPOSILEX 3 insulation                  | Part codes >>><br>Retail >>> | n/a                | U2AM0.6M           | U2AM1.0M           | U2AM2.0M           | U2AM3.0M             |  |
|  | Uni-Path Design<br>Isolated & Filtered Power Conductor<br>Precision 90-ohm impedance | Silver-Plated OFC<br>COMPOSILEX 3 insulation                  | Part codes >>><br>Retail >>> | n/a                | U3AB0.6M           | U3AB1.0M           | U3AB2.0M           | U3AB3.0M             |  |
|  | Uni-Path Design<br>Isolated & Filtered Power Conductor<br>Precision 90-ohm impedance | Silver-Plated OFC<br>COMPOSILEX 3 insulation                  | Part codes >>><br>Retail >>> | n/a                | U3AM0.6M           | U3AM1.0M           | U3AM2.0M           | U3AM3.0M             |  |
|  | Uni-Path Design<br>Isolated & Filtered Power Conductor<br>Precision 90-ohm impedance | Silver-Clad OFC<br>COMPOSILEX 3 insulation                    | Part codes >>><br>Retail >>> | n/a                | S2AB0.6M<br>110.00 | S2AB1.0M<br>135.00 | S2AB2.0M<br>155.00 | S2AB3.0M<br>175.00   |  |
|  | Uni-Path Design<br>Isolated & Filtered Power Conductor<br>Precision 90-ohm impedance | Silver-Clad OFC<br>COMPOSILEX 3 insulation                    | Part codes >>><br>Retail >>> | n/a                | n/a                | S2AM1.0M           | S2AM2.0M           | S2AM3.0M             |  |
|  | Uni-Path Design<br>Isolated & Filtered Power Conductor<br>Precision 90-ohm impedance | Silver-Clad OFC<br>COMPOSILEX 3 insulation                    | Part codes >>><br>Retail >>> | n/a                | S3AB0.6M           | S3AB1.0M           | S3AB2.0M           | S3AB3.0M             |  |
|  | Uni-Path Design<br>Isolated & Filtered Power Conductor<br>Precision 90-ohm impedance | Silver-Clad OFC<br>COMPOSILEX 3 insulation                    | Part codes >>><br>Retail >>> | n/a                | n/a                | S3AM1.0M           | S3AM2.0M           | S3AM3.0M             |  |
|  | Uni-Path Design<br>Isolated & Filtered Power Conductor<br>Precision 90-ohm impedance | Silver-Clad OFC<br>COMPOSILEX 3 insulation                    | Part codes >>><br>Retail >>> | n/a                | S31C0.6M<br>175.00 | S31C1.0M<br>215.00 | n/a                | n/a                  |  |
|  | Uni-Path Design<br>Isolated & Filtered Power Conductor<br>Precision 90-ohm impedance | Solid Silver<br>COMPOSILEX 3 insulation<br>Carbon Fiber plugs | Part codes >>><br>Retail >>> | P2AB0.3M<br>550.00 | P2AB0.6M<br>620.00 | P2AB1.0M<br>720.00 | P2AB2.0M<br>950.00 | P2AB3.0M<br>1,200.00 |  |
|  | Uni-Path Design<br>Isolated & Filtered Power Conductor<br>Precision 90-ohm impedance | Solid Silver<br>COMPOSILEX 3 insulation<br>Carbon Fiber plugs | Part codes >>><br>Retail >>> | P2AM0.3M           | P2AM0.6M           | P2AM1.0M           | P2AM2.0M           | n/a                  |  |
|  | Uni-Path Design<br>Isolated & Filtered Power Conductor<br>Precision 90-ohm impedance | Solid Silver<br>COMPOSILEX 3 insulation<br>Carbon Fiber plugs | Part codes >>><br>Retail >>> | n/a                | n/a                | P2CA1.0M<br>720.00 | n/a                | n/a                  |  |
|  | Uni-Path Design<br>Isolated & Filtered Power Conductor<br>Precision 90-ohm impedance | Solid Silver<br>COMPOSILEX 3 insulation<br>Carbon Fiber plugs | Part codes >>><br>Retail >>> | n/a                | n/a                | P2CM1.0M           | n/a                | n/a                  |  |

| COAXIAL DIGITAL AUDIO<br>(75 ohms, RCA plugs, BNC's optional)                       | Materials                                                                                        | Cable Design               |                              | Standard length cables |                     |                     |                     |                     |                     | Custom length cables   |                       |                    | Bulk Cable           |                      |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|----------------------------|------------------------------|------------------------|---------------------|---------------------|---------------------|---------------------|---------------------|------------------------|-----------------------|--------------------|----------------------|----------------------|
|                                                                                     |                                                                                                  |                            |                              | 0.5M<br>(20 in.)       | 1.0M<br>(40 in.)    | 1.5M<br>(5 feet)    | 2.0M<br>(6.5 feet)  | 3.0M<br>(10 feet)   | 6.0M<br>(20 feet)   | \$ / meter<br>of cable | \$ / foot<br>of cable | Assembly<br>Charge | Small<br>spool       | Large<br>spool       |
|    | Oxygen-Free Copper<br>COMPOSILEX 3 insulation<br>24K gold / OFC contacts                         | 75-ohm DNA Helix<br>25 AWG | Part codes >>><br>Retail >>> | CRV0.5M<br>45.00       | CRV1.0M<br>50.00    | CRV1.5M<br>55.00    | CRV2.0M<br>60.00    | CRV3.0M<br>65.00    | CRV6.0M<br>85.00    | CRVM000<br>7.00        |                       |                    | CRVM050<br>350.00    | CRVM100<br>700.00    |
|    | silver-plated OFC<br>COMPOSILEX 3 insulation<br>24K gold / OFC contacts                          | 75-ohm DNA Helix<br>25 AWG | Part codes >>><br>Retail >>> | UVV0.5M<br>80.00       | UVV1.0M<br>85.00    | UVV1.5M<br>90.00    | UVV2.0M<br>100.00   | UVV3.0M<br>110.00   | UVV6.0M<br>145.00   | UVVM000<br>12.00       |                       | UVVTERM<br>75.00   | UVVM050<br>600.00    | UVVM100<br>1,200.00  |
|   | silver-clad OFC<br>COMPOSILEX 3 insulation<br>silver-clad OFC contacts                           | 75-ohm DNA Helix<br>26 AWG | Part codes >>><br>Retail >>> | STV0.5M<br>125.00      | STV1.0M<br>150.00   | STV1.5M<br>175.00   | STV2.0M<br>200.00   | STV3.0M<br>250.00   | STV6.0M<br>400.00   | STVM000<br>50.00       |                       | STVTERM<br>110.00  | STVM030<br>1,400.00  | STVM100<br>4,600.00  |
|  | OCC-7N silver-clad copper<br>COMPOSILEX 3 insulation<br>silver-clad OFC contacts                 | 75-ohm DNA Helix<br>24 AWG | Part codes >>><br>Retail >>> | SSV0.5M<br>250.00      | SSV1.0M<br>300.00   | SSV1.5M<br>350.00   | SSV2.0M<br>400.00   | SSV3.0M<br>500.00   | SSV6.0M<br>800.00   | SSVM000<br>100.00      |                       | SSVTERM<br>200.00  | SSVM030<br>3,000.00  | SSVM050<br>5,000.00  |
|  | Solid Silver<br>COMPOSILEX 3 insulation<br>silver-clad OFC contacts                              | 75-ohm DNA Helix<br>24 AWG | Part codes >>><br>Retail >>> | GSV0.5M<br>425.00      | GSV1.0M<br>600.00   | GSV1.5M<br>775.00   | GSV2.0M<br>950.00   | GSV3.0M<br>1,300.00 | GSV6.0M<br>2,350.00 | GSVM000<br>350.00      |                       | GSVTERM<br>250.00  | GSVM030<br>10,500.00 | GSVM050<br>17,500.00 |
|  | OCC-7N solid silver<br>COMPOSILEX 3 insulation<br>silver-clad OFC contacts<br>Carbon Fiber plugs | 75-ohm DNA Helix<br>22 AWG | Part codes >>><br>Retail >>> | PSV0.5M<br>1,150.00    | PSV1.0M<br>1,900.00 | PSV1.5M<br>2,650.00 | PSV2.0M<br>3,400.00 | PSV3.0M<br>4,900.00 | PSV6.0M<br>9,400.00 | PSVM000<br>1,500.00    |                       | PSVTERM<br>400.00  | PSVM025<br>37,500.00 | PSVM050<br>75,000.00 |

| BALANCED DIGITAL AUDIO CABLES<br>(110-ohm, XLR female to XLR male)                  | Materials                                                                                      | Cable Design                     |                              | Standard length cables |                     |                     |                     |                     |                     | Custom length cables   |                       |                    | Bulk Cable           |                |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|----------------------------------|------------------------------|------------------------|---------------------|---------------------|---------------------|---------------------|---------------------|------------------------|-----------------------|--------------------|----------------------|----------------|
|                                                                                     |                                                                                                |                                  |                              | 0.5M<br>(20 in.)       | 1.0M<br>(40 in.)    | 1.5M<br>(5 feet)    | 2.0M<br>(6.5 feet)  | 3.0M<br>(10 feet)   | 6.0M<br>(20 feet)   | \$ / meter<br>of cable | \$ / foot<br>of cable | Assembly<br>Charge | Small<br>spool       | Large<br>spool |
|  | OFC<br>COMPOSILEX 3 insulation<br>silver-clad copper alloy contacts                            | 110-ohm Tri -DNA Helix<br>26 AWG | Part codes >>><br>Retail >>> | LUA0.5M<br>60.00       | LUA1.0M<br>65.00    | LUA1.5M<br>70.00    | LUA2.0M<br>75.00    | LUA3.0M<br>85.00    | LUA6.0M<br>90.00    | LUIM000<br>6.00        |                       | LUATERM<br>55.00   | LUIM050<br>300.00    |                |
|  | Silver Plated OFC<br>COMPOSILEX 3 insulation<br>silver-clad copper alloy contacts              | 110-ohm Tri -DNA Helix<br>26 AWG | Part codes >>><br>Retail >>> | SOA0.5M<br>65.00       | SOA1.0M<br>75.00    | SOA1.5M<br>85.00    | SOA2.0M<br>95.00    | SOA3.0M<br>115.00   | SOA6.0M<br>150.00   | SOIM000<br>15.00       |                       | SOATERM<br>65.00   | SOIM050<br>650.00    |                |
|  | OCC-7N Copper<br>COMPOSILEX 3 insulation<br>silver-clad copper alloy contacts                  | 110-ohm Tri -DNA Helix<br>26 AWG | Part codes >>><br>Retail >>> | MEA0.5M<br>170.00      | MEA1.0M<br>200.00   | MEA1.5M<br>230.00   | MEA2.0M<br>260.00   | MEA3.0M<br>320.00   | MEA6.0M<br>500.00   | MEIM000<br>60.00       |                       | MEATERM<br>140.00  | MEIM025<br>1,500.00  |                |
|  | OCC-7N Silver-Clad conductors<br>COMPOSILEX 3 insulation<br>silver-clad copper alloy contacts  | 110-ohm Tri -DNA Helix<br>26 AWG | Part codes >>><br>Retail >>> | MSA0.5M<br>240.00      | MSA1.0M<br>300.00   | MSA1.5M<br>360.00   | MSA2.0M<br>420.00   | MSA3.0M<br>540.00   | MSA6.0M<br>900.00   | MSIM000<br>120.00      |                       | MSATERM<br>180.00  | MSIM025<br>3,000.00  |                |
|  | OCC-7N solid silver conductors<br>COMPOSILEX 3 insulation<br>silver-clad copper alloy contacts | 110-ohm Tri -DNA Helix<br>26 AWG | Part codes >>><br>Retail >>> | MPA0.5M<br>375.00      | MPA1.0M<br>550.00   | MPA1.5M<br>725.00   | MPA2.0M<br>900.00   | MPA3.0M<br>1,250.00 | MPA6.0M<br>2,300.00 | MPIM000<br>350.00      |                       | MPATERM<br>200.00  | MPIM025<br>8,750.00  |                |
|  | OCC-7N solid silver conductors<br>COMPOSILEX 3 insulation<br>silver-clad copper alloy contacts | 110-ohm Tri -DNA Helix<br>22 AWG | Part codes >>><br>Retail >>> | PSA0.5M<br>1,050.00    | PSA1.0M<br>1,800.00 | PSA1.5M<br>2,550.00 | PSA2.0M<br>3,300.00 | PSA3.0M<br>4,800.00 | PSA6.0M<br>9,300.00 | PSAM000<br>1,500.00    |                       | PSATERM<br>300.00  | PSAM025<br>37,500.00 |                |

| TOSLINK OPTICAL<br>DIGITAL AUDIO                                                                                                     |                               | Conductor Material           |  | 0.5M<br>(20 in.)  | 1.0M<br>(40 in.)  | 2.0M<br>(6.5 feet) | 3.0M<br>(10 feet) | 5.0M<br>(16.4 feet) | 8.0M<br>(26 feet) |
|--------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|------------------------------|--|-------------------|-------------------|--------------------|-------------------|---------------------|-------------------|
| <br>SUPERNOVA 7 Toslink Optical (STO)               | 338 borosilicate glass fibers | Part codes >>><br>Retail >>> |  | ST00.5M<br>280.00 | ST01.0M<br>310.00 | ST02.0M<br>380.00  | ST03.0M<br>450.00 | ST05.0M<br>600.00   | ST08.0M<br>800.00 |
| <br>SUPERNOVA 7 (SMO)<br>Toslink to 3.5mm connector | 338 borosilicate glass fibers | Part codes >>><br>Retail >>> |  | SM00.5M<br>280.00 | SM01.0M<br>310.00 | SM02.0M<br>380.00  | n/a<br>n/a        | n/a<br>n/a          | n/a<br>n/a        |
| <br>NOVA Toslink Optical (NTO)                      | Acrylic monofilament          | Part codes >>><br>Retail >>> |  | NT00.5M<br>50.00  | NT01.0M<br>55.00  | NT02.0M<br>65.00   | NT03.0M<br>75.00  | NT05.0M<br>90.00    | n/a<br>n/a        |
| <br>NOVA Toslink to 3.5mm connector (NMO)           | Acrylic monofilament          | Part codes >>><br>Retail >>> |  | NM00.5M<br>50.00  | NM01.0M<br>55.00  | NM02.0M<br>65.00   | NM03.0M<br>75.00  | n/a<br>n/a          | n/a<br>n/a        |

**NOTE: All Wireworld Interconnects are available as 5, 6 & 7 channel sets.**

| BALANCED INTERCONNECTS<br>(2 XLR females to 2 XLR males)                            |                                                                                                                                   | Materials & Design           |       | Standard length sets |                     |                     |                     |                     |                      | Custom length          |                       |                                    | Bulk cable           |                      |                             |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------|-------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|------------------------|-----------------------|------------------------------------|----------------------|----------------------|-----------------------------|
|                                                                                     |                                                                                                                                   |                              |       | 0.5M<br>(20 in.)     | 1.0M<br>(40 in.)    | 1.5M<br>(5 feet)    | 2.0M<br>(6.5 feet)  | 3.0M<br>(10 feet)   | 6.0M<br>(20 feet)    | \$ / meter<br>of cable | \$ / foot<br>of cable | Assembly<br>Charge (Pr.)<br>LEADER | 50M/165ft<br>good    | 100M/330ft<br>good   | 100M/330ft<br>LUMISO LUM100 |
|  | Oxygen-Free Copper conductors<br>COMPOSILEX 3 insulation<br>silver-clad copper alloy contacts<br>Tri DNA Helix design / 26 AWG    | Part codes >>><br>Retail >>> |       | LB10.5M<br>105.00    | LB11.0M<br>110.00   | LB11.5M<br>115.00   | LB12.0M<br>120.00   | LB13.0M<br>130.00   | LB16.0M<br>170.00    | 6.00                   |                       | 115.00                             |                      |                      | LUMISO LUM100<br>550.00     |
|  | Silver-plated OFC conductors<br>COMPOSILEX 3 insulation<br>silver-clad copper alloy contacts<br>Tri DNA Helix design / 26 AWG     | Part codes >>><br>Retail >>> |       | BS10.5M<br>135.00    | BS11.0M<br>145.00   | BS11.5M<br>155.00   | BS12.0M<br>175.00   | BS13.0M<br>195.00   | BS16.0M<br>285.00    | SOIM000<br>15.00       |                       | BSITERM<br>135.00                  | SOIM050<br>700.00    | SOIM100<br>1,300.00  |                             |
|  | Oxygen-Free Copper conductors<br>COMPOSILEX 3 insulation<br>silver-clad copper alloy contacts<br>Tri DNA Helix design / 24 AWG    | Part codes >>><br>Retail >>> |       | OB10.5M<br>175.00    | OB11.0M<br>200.00   | OB11.5M<br>225.00   | OB12.0M<br>250.00   | OB13.0M<br>300.00   | OB16.0M<br>450.00    | OAIM000<br>35.00       |                       | OBITERM<br>150.00                  | OAIM050<br>1,150.00  | OAIM100<br>2,200.00  |                             |
|  | OCC-7N copper conductors<br>COMPOSILEX 3 insulation<br>silver-clad copper alloy contacts<br>Tri DNA Helix design / 24 AWG         | Part codes >>><br>Retail >>> |       | QB10.5M<br>225.00    | QB11.0M<br>300.00   | QB11.5M<br>375.00   | QB12.0M<br>450.00   | QB13.0M<br>600.00   | QB16.0M<br>1,000.00  | EQIM000<br>75.00       |                       | QBITERM<br>150.00                  | EQIM050<br>3,500.00  | EQIM100<br>6,500.00  |                             |
|  | OCC-7N copper conductors<br>COMPOSILEX 3 insulation<br>silver-clad copper alloy contacts<br>Quad DNA Helix design / 21 gauge AWG  | Part codes >>><br>Retail >>> |       | EB10.5M<br>400.00    | EB11.0M<br>525.00   | EB11.5M<br>650.00   | EB12.0M<br>775.00   | EB13.0M<br>1,025.00 | EB16.0M<br>1,775.00  | ECIM000<br>125.00      |                       | EBITERM<br>275.00                  | ECIM025<br>3,125.00  | ECIM050<br>6,250.00  |                             |
|  | OCC-7N silver-clad copper<br>COMPOSILEX 3 insulation<br>silver-clad copper alloy contacts<br>Quad DNA Helix design / 21 gauge AWG | Part codes >>><br>Retail >>> |       | SB10.5M<br>550.00    | SB11.0M<br>800.00   | SB11.5M<br>1,050.00 | SB12.0M<br>1,300.00 | SB13.0M<br>1,800.00 | SB16.0M<br>3,300.00  | SEIM000<br>250.00      |                       | SBITERM<br>300.00                  | SEIM025<br>6,250.00  | SEIM050<br>12,500.00 |                             |
|  | Solid silver conductors<br>COMPOSILEX 3 insulation<br>silver-clad copper alloy contacts<br>Quad DNA Helix design / 21 gauge AWG   | Part codes >>><br>Retail >>> |       | GB10.5M<br>1,050.00  | GB11.0M<br>1,750.00 | GB11.5M<br>2,450.00 | GB12.0M<br>3,150.00 | GB13.0M<br>4,550.00 | GB16.0M<br>8,750.00  | GEIM000<br>700.00      |                       | GBITERM<br>350.00                  | GEIM050<br>17,500.00 | GEIM050<br>35,000.00 |                             |
|  | OCC-7N solid silver conductors<br>COMPOSILEX 3 insulation<br>silver-clad copper alloy contacts<br>Quad DNA Helix cable / 20 AWG   | Part codes >>><br>Retail >>> |       | PB10.5M<br>2,100.00  | PB11.0M<br>3,600.00 | PB11.5M<br>5,100.00 | PB12.0M<br>6,600.00 | PB13.0M<br>9,600.00 | PB16.0M<br>18,600.00 | PEIM000<br>1,500.00    |                       | PBITERM<br>600.00                  | PEIM025<br>37,500.00 | PEIM050<br>75,000.00 |                             |
|                                                                                     | Add external ground wire to any interconnect                                                                                      | Retail >>>                   | 25.00 |                      |                     |                     |                     |                     |                      |                        |                       |                                    |                      |                      |                             |

| SUBWOOFER CABLES<br>(1 RCA male to 1 RCA male)                                                                        | Materials & Design                                                                                                      |                              | Standard length cables |                   |                   | Custom length cables   |                       |                    |                            | Bulk cable          |                     |
|-----------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|------------------------------|------------------------|-------------------|-------------------|------------------------|-----------------------|--------------------|----------------------------|---------------------|---------------------|
|                                                                                                                       |                                                                                                                         |                              | 4.0M<br>(13 feet)      | 6.0M<br>(20 feet) | 8.0M<br>(26 feet) | \$ / meter<br>of cable | \$ / foot<br>of cable | Assembly<br>Charge | Assembly<br>6 inch pigtail | Small<br>spool      | Large<br>spool      |
| Stream (SIM)<br>                     | Oxygen-Free Copper conductors<br>COMPOSILEX 3 insulation<br>24K gold / brass contacts<br>Dual DNA Helix design / 25 AWG | Part codes >>><br>Retail >>> | SIM4.0M<br>40.00       | SIM6.0M<br>45.00  | n/a               | SIM000<br>5.00         |                       | 40.00              | n/a                        | n/a                 | STIM100<br>350.00   |
| LUNA 8 Subwoofer Cable (LSM)<br>     | Oxygen-Free Copper conductors<br>COMPOSILEX 3 insulation<br>24K gold / OFC contacts<br>Tri DNA Helix design / 23 AWG    | Part codes >>><br>Retail >>> | LSM4.0M<br>60.00       | LSM6.0M<br>75.00  | LSM8.0M<br>85.00  | LSMM000<br>6.00        |                       | 40.00              | 50.00                      | LJIM050<br>300.00   | LJIM100<br>600.00   |
| SOLSTICE 8 Subwoofer Cable (SSM)<br> | Silver-plated OFC conductors<br>COMPOSILEX 3 insulation<br>24K gold / OFC contacts<br>Tri DNA Helix design / 23 AWG     | Part codes >>><br>Retail >>> | SSM4.0M<br>90.00       | SSM6.0M<br>130.00 | SSM8.0M<br>155.00 | SSMM000<br>15.00       |                       | 45.00              | 55.00                      | SOIM050<br>700.00   | SOIM100<br>1,300.00 |
| OASIS 8 Subwoofer Cable (OSM)<br>    | Oxygen-Free Copper conductors<br>COMPOSILEX 3 insulation<br>silver-clad OFC contacts<br>Tri DNA Helix design / 21 AWG   | Part codes >>><br>Retail >>> | OSM4.0M<br>155.00      | OSM6.0M<br>210.00 | OSM8.0M<br>250.00 | OAIM000<br>35.00       |                       | 65.00              | 80.00                      | OAIM050<br>1,150.00 | OAIM100<br>2,200.00 |
| EQUINOX 8 Subwoofer Cable (ESM)<br>  | OCC-7N copper conductors<br>COMPOSILEX 3 insulation<br>silver-clad OFC contacts<br>Tri DNA Helix design / 21 AWG        | Part codes >>><br>Retail >>> | ESM4.0M<br>365.00      | ESM6.0M<br>500.00 | ESM8.0M<br>650.00 | EQIM000<br>75.00       |                       | 80.00              | 90.00                      | EQIM050<br>3,500.00 | EQIM100<br>6,500.00 |

| AUDIO Y-ADAPTERS                                                                                                                          |                             |                    |        |
|-------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|--------------------|--------|
| LUNA Y-Adapter, M-FF<br>LUNA Y-Adapter, F-MM<br>         | Part Code >>><br>Retail >>> | LUIYFFF<br>LUIYFMM | 75.00  |
| SOLSTICE Y-Adapter, M-FF<br>SOLSTICE Y-Adapter, F-MM<br> | Part Code >>><br>Retail >>> | SOIYFFF<br>SOIYFMM | 90.00  |
| OASIS Y-Adapter, M-FF<br>OASIS Y-Adapter, F-MM<br>       | Part Code >>><br>Retail >>> | OAIYFFF<br>OAIYFMM | 135.00 |



| MINI JACK TO MINI JACK<br>(3.5mm stereo mini jack to 2 RCA plugs<br>or 3.5mm to 3.5mm)                               | Materials<br>Cable design                                                                                                                   |                                                                                                                                            | Standard length cables                  |                                         |                                         | Custom length cables                    |                      |                         |                          |                        |                        |
|----------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|-----------------------------------------|-----------------------------------------|-----------------------------------------|----------------------|-------------------------|--------------------------|------------------------|------------------------|
|                                                                                                                      |                                                                                                                                             |                                                                                                                                            | 1.0M<br>(40 in.)                        | 1.5M<br>(5 ft.)                         | 2.0M<br>(6.5 ft.)                       | \$ / meter<br>of cable                  | \$ / ft.<br>of cable | Assembly<br>M1 to 2RCAs | Assembly<br>M1M to 2RCAs | Assembly<br>M1M to M1M | Assembly<br>M1M to M1M |
| I-WORLD AUDIO CABLE<br>             | Oxygen-Free Copper<br>HDPE insulation<br>24K gold-plated contacts<br>coaxial design                                                         | Mini jack M to 2 RCAs Part codes >>><br>Retail >>>                                                                                         | n/a                                     | IPAL1.5M<br>30.00                       | n/a                                     | n/a                                     | n/a                  | n/a                     | n/a                      | n/a                    | n/a                    |
| PULSE MINI JACK<br>                 | Oxygen-Free Copper<br>COMPOSILEX 2 insulation<br>24K gold-plated contacts<br>DNA Helix design                                               | Mini jack M to 2 RCAs Part codes >>><br>Mini jack M to M Part codes >>><br>Mini jack M to F Part codes >>><br>Retail >>>                   | PUN1.0M<br>PUM1.0M<br>MPF1.0M<br>45.00  | PUN1.5M<br>PUM1.5M<br>MPF1.5M<br>50.00  | PUN2.0M<br>PUM2.0M<br>MPF2.0M<br>55.00  | PUN3.0M<br>PUM3.0M<br>MPF3.0M<br>60.00  | 9.00                 |                         | 70.00                    | 60.00                  | 60.00                  |
| NANO-ECLIPSE MINI JACK<br>          | COMPOSILEX 2 insulation<br>silver-clad alloy 3.5mm contact<br>silver-clad OFC RCA contacts<br>DNA Helix design                              | Mini jack M to 2 RCAs Part codes >>><br>Mini jack M to M Part codes -\$25.00 >>><br>Mini jack M to F Part codes -\$25.00 >>><br>Retail >>> | ECN1.0M<br>NEM1.0M<br>NEF1.0M<br>175.00 | ECN1.5M<br>NEM1.5M<br>NEF1.5M<br>200.00 | ECN2.0M<br>NEM2.0M<br>NEF2.0M<br>225.00 | ECN3.0M<br>NEM3.0M<br>NEF3.0M<br>275.00 | ECNM000<br>50.00     | ECNF000                 | ECNTERM<br>125.00        | NEMTERM<br>100.00      | NEFTERM<br>100.00      |
| NANO-SILVER ECLIPSE MINI JACK<br>   | OCC-7N silver-clad copper<br>COMPOSILEX 2 insulation<br>silver-clad alloy 3.5mm contact<br>silver-clad OFC RCA contacts<br>DNA Helix design | Mini jack M to 2 RCAs Part codes >>><br>Mini jack M to M Part codes -\$25.00 >>><br>Mini jack M to F Part codes -\$25.00 >>><br>Retail >>> | SEN1.0M<br>NSF1.0M<br>NSF1.0M<br>225.00 | SEN1.5M<br>NSF1.5M<br>NSF1.5M<br>275.00 | SEN2.0M<br>NSF2.0M<br>NSF2.0M<br>325.00 | SEN3.0M<br>NSF3.0M<br>NSF3.0M<br>425.00 | SENM000<br>100.00    | SENF000                 | SENTERM<br>125.00        | NSMTERM<br>100.00      | NSFTERM<br>100.00      |
| NANO-PLATINUM ECLIPSE MINI JACK<br> | OCC-7N solid silver<br>COMPOSILEX 2 insulation<br>silver-clad alloy 3.5mm contact<br>silver-clad OFC RCA contacts<br>DNA Helix design       | Mini jack M to 2 RCAs Part codes >>><br>Mini jack M to M Part codes -\$45.00 >>><br>Mini jack M to F Part codes -\$45.00 >>><br>Retail >>> | PEN1.0M<br>NPM1.0M<br>NPF1.0M<br>445.00 | PEN1.5M<br>NPM1.5M<br>NPF1.5M<br>570.00 | PEN2.0M<br>NPM2.0M<br>NPF2.0M<br>695.00 | PEN3.0M<br>NPM3.0M<br>NPF3.0M<br>945.00 | PENIM000<br>250.00   | PENF000                 | PENTERM<br>195.00        | NPMTERM<br>150.00      | NPFTERM<br>150.00      |

| TONEARM CABLES                                                                                                                | DNA HELIX DESIGN<br>COMPOSILEX 3 insulation material | When ordering DIN tonearm cables<br>please specify straight or angled DIN                                                   | Standard lengths                          |                                           |                                           | Custom length cables   |                       |                    |
|-------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|-------------------------------------------|-------------------------------------------|------------------------|-----------------------|--------------------|
|                                                                                                                               |                                                      |                                                                                                                             | 1.0M<br>(40 in.)                          | 1.5M<br>(5 ft.)                           | 2.0M<br>(6.5 ft.)                         | \$ / meter<br>of cable | \$ / foot<br>of cable | Assembly<br>Charge |
| SOLSTICE 8 (SOT/BS1/SOR)<br>               | Series 8<br>silver-plated OFC<br>conductors          | DIN to 2 RCAs - Part codes >>><br>DIN to 2 XLRs - Part codes >>><br>Retail >>>                                              | SOT1.0M<br>BST1.0M<br>250.00              | SOT1.5M<br>BST1.5M<br>275.00              | SOT2.0M<br>BST2.0M<br>300.00              | SOIM000<br>15.00       | SOIF000               | SOTTERM<br>250.00  |
|                                                                                                                               |                                                      | RCA to RCA w/Ground Wire - Part codes >>><br>Retail >>>                                                                     | SOR1.0M<br>130.00                         | SOR1.5M<br>150.00                         | SOR2.0M<br>160.00                         |                        |                       | SORTERM<br>140.00  |
| MICRO-ECLIPSE 8 (ECT/EB1/ERT)<br>          |                                                      | DIN to 2 RCAs - Part codes >>><br>DIN to 2 XLRs - Part codes >>><br>RCA to RCA w/Ground Wire - Part codes >>><br>Retail >>> | ECT1.0M<br>EBT1.0M<br>ERT1.0M<br>420.00   | ECT1.5M<br>EBT1.5M<br>ERT1.5M<br>480.00   | ECT2.0M<br>EBT2.0M<br>ERT2.0M<br>540.00   | MEIM000<br>60.00       |                       | METTERM<br>300.00  |
| MICRO-SILVER ECLIPSE 8 (SET/SBT/SRT)<br>   | Series 8<br>OCC-7N copper<br>conductors              | DIN to 2 RCAs - Part codes >>><br>DIN to 2 XLRs - Part codes >>><br>RCA to RCA w/Ground Wire - Part codes >>><br>Retail >>> | SET1.0M<br>SBT1.0M<br>SRT1.0M<br>540.00   | SET1.5M<br>SBT1.5M<br>SRT1.5M<br>660.00   | SET2.0M<br>SBT2.0M<br>SRT2.0M<br>780.00   | MSEM000<br>120.00      |                       | SETTERM<br>300.00  |
| MICRO-PLATINUM ECLIPSE 8 (PET/BPT/PRT)<br> | Series 8<br>OCC-7N solid silver<br>conductors        | DIN to 2 RCAs - Part codes >>><br>DIN to 2 XLRs - Part codes >>><br>RCA to RCA w/Ground Wire - Part codes >>><br>Retail >>> | PET1.0M<br>BPT1.0M<br>PRT1.0M<br>1,200.00 | PET1.5M<br>BPT1.5M<br>PRT1.5M<br>1,550.00 | PET2.0M<br>BPT2.0M<br>PRT2.0M<br>1,900.00 | MPIM000<br>350.00      |                       | PETTERM<br>500.00  |

#### HEADPHONE CABLES NO LONGER AVAILABLE

| STANDARD SPEAKER CABLES<br>(scales are standard, bananas optional)<br>SpeakOn / 1/4" optional         | Materials & Design                                                                                                            |                              | Standard length pairs |                   |                   |                     | Custom lengths         |                       |                          | Bulk cable        |                   |
|-------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|------------------------------|-----------------------|-------------------|-------------------|---------------------|------------------------|-----------------------|--------------------------|-------------------|-------------------|
|                                                                                                       |                                                                                                                               |                              | 2.0M<br>(6.5 feet)    | 2.5M<br>(8 feet)  | 3.0M<br>(10 feet) | 5.0M<br>(16.4 feet) | \$ / meter<br>of cable | \$ / foot<br>of cable | Assembly<br>Charge (Pr.) | Small<br>spool    | Large<br>spool    |
| HORIZON (HOS)<br>  | 16 AWG/1.25mm <sup>2</sup><br>2 flat oxygen-free copper conductors<br>Flexi-Flat design<br>gold/silver/OFC shields or bananas | Part codes >>><br>Retail >>> | HOS2.0M<br>110.00     | HOS2.5M<br>115.00 | HOS3.0M<br>120.00 | HOS5.0M<br>145.00   | HOSM000<br>6.00        |                       |                          | HOSTERM<br>90.00  | HOSM100<br>600.00 |
| STREAM 8 (STS)<br> | 16 AWG/1.25mm <sup>2</sup><br>oxygen-free copper conductors                                                                   | Part codes >>><br>Retail >>> | STS2.0M<br>155.00     | STS2.5M<br>170.00 | STS3.0M<br>185.00 | STS5.0M<br>225.00   | STSM000<br>11.00       |                       |                          | STSTERM<br>120.00 | STSM075<br>800.00 |

|                                                                                   |           |                                                                                      |                              |                      |                      |                      |                      |                      |                     |                   |                      |                       |
|-----------------------------------------------------------------------------------|-----------|--------------------------------------------------------------------------------------|------------------------------|----------------------|----------------------|----------------------|----------------------|----------------------|---------------------|-------------------|----------------------|-----------------------|
|  |           | Dual DNA Helix design - COMPOSILEX 3 insulation<br>gold/silver/OFC spades or bananas |                              |                      |                      |                      |                      |                      |                     |                   |                      | n/a                   |
| Helicon 16 OFC (HES)                                                              |           | 16 AWG/1.25mm <sup>2</sup><br>oxygen-free copper conductors                          | Part codes >>><br>Retail >>> | HES2.0M<br>150.00    | HES2.5M<br>160.00    | HES3.0M<br>170.00    | HES5.0M<br>210.00    | HES6.0M<br>230.00    | HESM000<br>11.00    | HESTERM<br>120.00 | HESM100<br>950.00    | n/a<br>n/a<br>n/a     |
|  |           | Dual DNA Helix design - COMPOSILEX 3 insulation<br>gold/silver/OFC spades or bananas |                              |                      |                      |                      |                      |                      |                     |                   |                      | n/a                   |
| Helicon 16 OCC (HCS)                                                              |           | 16 AWG/1.25mm <sup>2</sup><br>OCC-7N copper conductors                               | Part codes >>><br>Retail >>> | HCS2.0M<br>310.00    | HCS2.5M<br>350.00    | HCS3.0M<br>390.00    | HCS5.0M<br>550.00    | HCS6.0M<br>630.00    | HCSM000<br>45.00    | HCSTERM<br>145.00 | HCSM100<br>4,200.00  | n/a<br>n/a<br>n/a     |
|  | CL3 / FT4 | 14 AWG/2mm <sup>2</sup><br>oxygen-free copper conductors                             | Part codes >>><br>Retail >>> | LUS2.0M<br>225.00    | LUS2.5M<br>235.00    | LUS3.0M<br>250.00    | LUS5.0M<br>310.00    | LUS6.0M<br>340.00    | LUSM000<br>15.00    | LUSTERM<br>170.00 | LUSM025<br>400.00    | LUSM075<br>1,050.00   |
|  | CL3 / FT4 | 13 AWG/2.5mm <sup>2</sup><br>oxygen-free copper conductors                           | Part codes >>><br>Retail >>> | SOS2.0M<br>255.00    | SOS2.5M<br>280.00    | SOS3.0M<br>305.00    | SOS5.0M<br>375.00    | SOS6.0M<br>410.00    | SOSM000<br>20.00    | SOSTERM<br>175.00 | SOSM025<br>500.00    | SOSM075<br>1,300.00   |
|  | CL3 / FT4 | 11 AWG/4mm <sup>2</sup><br>oxygen-free copper conductors                             | Part codes >>><br>Retail >>> | OAS2.0M<br>450.00    | OAS2.5M<br>475.00    | OAS3.0M<br>500.00    | OAS5.0M<br>650.00    | OAS6.0M<br>725.00    | OASM000<br>40.00    | OASTERM<br>300.00 | OASM025<br>900.00    | OASM050<br>1,800.00   |
|  | CL3 / FT4 | 11 AWG/4mm <sup>2</sup><br>OCC-7N copper conductors                                  | Part codes >>><br>Retail >>> | EQS2.0M<br>850.00    | EQS2.5M<br>1,000.00  | EQS3.0M<br>1,150.00  | EQS5.0M<br>1,750.00  | EQS6.0M<br>2,000.00  | EQSM000<br>145.00   | EQSTERM<br>300.00 | EQSM025<br>3,500.00  | EQSM050<br>7,000.00   |
|  | CL3 / FT4 | 13 AWG/2.5mm <sup>2</sup><br>OCC-7N copper conductors                                | Part codes >>><br>Retail >>> | MES2.0M<br>610.00    | MES2.5M<br>700.00    | MES3.0M<br>790.00    | MES5.0M<br>1,150.00  | MES6.0M<br>1,330.00  | MESM000<br>90.00    | MESTERM<br>250.00 | MESM050<br>4,500.00  | MESM100<br>9,000.00   |
|  |           | 9 AWG/6mm <sup>2</sup><br>OCC-7N copper conductors                                   | Part codes >>><br>Retail >>> | ECS2.0M<br>1,920.00  | ECS2.5M<br>2,250.00  | ECS3.0M<br>2,580.00  | ECS5.0M<br>3,900.00  | ECS6.0M<br>4,560.00  | ECSM000<br>330.00   | ECSTERM<br>600.00 | ECSM025<br>8,250.00  | ECSM040<br>13,200.00  |
|  |           | 9 AWG/6mm <sup>2</sup><br>OCC-7N silver-clad copper conductors                       | Part codes >>><br>Retail >>> | SES2.0M<br>3,680.00  | SES2.5M<br>4,450.00  | SES3.0M<br>5,220.00  | SES5.0M<br>8,300.00  | SES6.0M<br>9,840.00  | SESM000<br>770.00   | SESTERM<br>600.00 | SESM025<br>19,250.00 | SESM040<br>30,800.00  |
|  |           | 9 AWG/6mm <sup>2</sup><br>solid silver conductors                                    | Part codes >>><br>Retail >>> | GES2.0M<br>10,700.00 | GES2.5M<br>13,200.00 | GES3.0M<br>15,700.00 | GES5.0M<br>25,700.00 | GES6.0M<br>30,700.00 | GESM000<br>2,500.00 | GESTERM<br>700.00 | GESM025<br>62,500.00 | GESM040<br>100,000.00 |
|  |           | 8 AWG/8mm <sup>2</sup><br>OCC-7N solid silver conductors                             | Part codes >>><br>Retail >>> | PES2.0M<br>20,000.00 | PES2.5M<br>24,800.00 | PES3.0M<br>29,600.00 | PES5.0M<br>48,800.00 | PES6.0M<br>58,400.00 | PESM000<br>4,800.00 | PESTERM<br>800.00 | PESM020<br>96,000.00 | PESM040<br>192,000.00 |

| BIWIRED SPEAKER CABLES<br>(spades standard, banana plugs optional)<br>SpeakON / 1/4" optional |           | Materials & Design                                             |                              | Standard length pairs |                      |                      |                      |                      |                        | Custom lengths        |                          |                              | Bulk cable           |                       |
|-----------------------------------------------------------------------------------------------|-----------|----------------------------------------------------------------|------------------------------|-----------------------|----------------------|----------------------|----------------------|----------------------|------------------------|-----------------------|--------------------------|------------------------------|----------------------|-----------------------|
|                                                                                               |           |                                                                |                              | 2.0M<br>(6.5 feet)    | 2.5M<br>(8 feet)     | 3.0M<br>(10 feet)    | 5.0M<br>(16.4 feet)  | 6.0M<br>(20 feet)    | \$ / meter<br>of cable | \$ / foot<br>of cable | Assembly<br>Charge (Pr.) | Blamp+Biwire<br>Charge (Pr.) | Small<br>spool       | Large<br>spool        |
|              | CL3 / FT4 | 14 AWG/2mm <sup>2</sup><br>oxygen-free copper conductors       | Part codes >>><br>Retail >>> | LUB2.0M<br>275.00     | LUB2.5M<br>290.00    | LUB3.0M<br>305.00    | LUB5.0M<br>360.00    | LUB6.0M<br>385.00    | LUSM000<br>15.00       |                       | LUBTERM<br>215.00        | LUBBTERM<br>270.00           | LUSM050<br>700.00    | LUSM075<br>1,050.00   |
|              | CL3 / FT4 | 13 AWG/2.5mm <sup>2</sup><br>oxygen-free copper conductors     | Part codes >>><br>Retail >>> | SOB2.0M<br>320.00     | SOB2.5M<br>335.00    | SOB3.0M<br>350.00    | SOB5.0M<br>430.00    | SOB6.0M<br>470.00    | SOSM000<br>20.00       |                       | SOBTERM<br>235.00        | SOBBTERM<br>300.00           | SOSM025<br>500.00    | SOSM075<br>1,300.00   |
|              | CL3 / FT4 | 11 AWG/4mm <sup>2</sup><br>oxygen-free copper conductors       | Part codes >>><br>Retail >>> | OAB2.0M<br>550.00     | OAB2.5M<br>600.00    | OAB3.0M<br>650.00    | OAB5.0M<br>775.00    | OAB6.0M<br>850.00    | OASM000<br>40.00       |                       | OABTERM<br>420.00        | OABBTERM<br>550.00           | OASM025<br>900.00    | OASM050<br>1,800.00   |
|              | CL3 / FT4 | 11 AWG/4mm <sup>2</sup><br>OCC-7N copper conductors            | Part codes >>><br>Retail >>> | EOB2.0M<br>990.00     | EOB2.5M<br>1,130.00  | EOB3.0M<br>1,390.00  | EOB5.0M<br>1,840.00  | EOB6.0M<br>2,150.00  | EQSM000<br>145.00      |                       | EOBTERM<br>420.00        | EOBBTERM<br>550.00           | EQSM025<br>3,500.00  | EQSM050<br>7,000.00   |
|              | CL3 / FT4 | 13 AWG/2.5mm <sup>2</sup><br>OCC-7N copper conductors          | Part codes >>><br>Retail >>> | MEB2.0M<br>710.00     | MEB2.5M<br>800.00    | MEB3.0M<br>890.00    | MEB5.0M<br>1,250.00  | MEB6.0M<br>1,430.00  | MESM000<br>90.00       |                       | MEBTERM<br>350.00        | MEBBTERM<br>450.00           | MESM050<br>4,500.00  | MESM100<br>9,000.00   |
|            |           | 9 AWG/6mm <sup>2</sup><br>OCC-7N copper conductors             | Part codes >>><br>Retail >>> | ECB2.0M<br>2,120.00   | ECB2.5M<br>2,450.00  | ECB3.0M<br>2,780.00  | ECB5.0M<br>4,100.00  | ECB6.0M<br>4,760.00  | ECSM000<br>330.00      |                       | ECBTERM<br>800.00        | ECBBTERM<br>1,000.00         | ECSM025<br>8,250.00  | ECSM040<br>13,200.00  |
|            |           | 9 AWG/6mm <sup>2</sup><br>OCC-7N silver-clad copper conductors | Part codes >>><br>Retail >>> | SEB2.0M<br>3,880.00   | SEB2.5M<br>4,650.00  | SEB3.0M<br>5,420.00  | SEB5.0M<br>8,500.00  | SEB6.0M<br>10,040.00 | SESM000<br>770.00      |                       | SEBTERM<br>800.00        | SEBBTERM<br>1,000.00         | SESM025<br>19,250.00 | SESM040<br>30,800.00  |
|            |           | 9 AWG/6mm <sup>2</sup><br>solid silver conductors              | Part codes >>><br>Retail >>> | GEB2.0M<br>10,900.00  | GEB2.5M<br>13,400.00 | GEB3.0M<br>15,900.00 | GEB5.0M<br>25,900.00 | GEB6.0M<br>30,900.00 | GESM000<br>2,500.00    |                       | GEBTERM<br>900.00        | GEGBTERM<br>1,100.00         | GESM025<br>62,500.00 | GESM040<br>100,000.00 |
|            |           | 8 AWG/8mm <sup>2</sup><br>OCC-7N solid silver conductors       | Part codes >>><br>Retail >>> | PEB2.0M<br>20,200.00  | PEB2.5M<br>25,000.00 | PEB3.0M<br>29,800.00 | PEB5.0M<br>49,000.00 | PEB6.0M<br>58,600.00 | PESM000<br>4,800.00    |                       | PEBTERM<br>1,000.00      | PEBBTERM<br>1,250.00         | PESM020<br>96,000.00 | PESM040<br>192,000.00 |

| BIWIRE JUMPERS<br>(Spades are standard, banana plugs optional, 6 inches long)       |                             |                   |
|-------------------------------------------------------------------------------------|-----------------------------|-------------------|
|  | Part code >>><br>Retail >>> | JUMPOAS<br>135.00 |
|  | Part code >>><br>Retail >>> | JUMPEOS<br>175.00 |
|  | Part code >>><br>Retail >>> | JUMPECS<br>200.00 |
|  | Part code >>><br>Retail >>> | JUMPPES<br>250.00 |
|  | Part code >>><br>Retail >>> | JUMPGES<br>300.00 |

|                                                                                   |                                            |                             |                   |
|-----------------------------------------------------------------------------------|--------------------------------------------|-----------------------------|-------------------|
|  | PLATINUM ECLIPSE Biwire Jumpers (set of 4) | Part code >>><br>Retail >>> | JUMPPES<br>600.00 |
|-----------------------------------------------------------------------------------|--------------------------------------------|-----------------------------|-------------------|

| SHIELDED MINI POWER CONDITIONING CORDS<br>Mini Standard: US, EU wall plug to IEC C7 (Figure 8);<br>UK termination available for \$10 upcharge. | Materials & Design<br>(IEC C7 angle adapter ADPC7C8 is included)                                                                                  |                              | Standard Lengths    |                     |                     |
|------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|---------------------|---------------------|---------------------|
|                                                                                                                                                |                                                                                                                                                   |                              | 1.0M<br>(40 in.)    | 1.5M<br>(5 feet)    | 2.0M<br>(6.5 feet)  |
|                                                               | 16 AWG / 1.25mm <sup>2</sup><br>oxygen-free copper conductors<br>Fluxfield cable design - COMPOSILEX insulation<br>silver-clad copper alloy plugs | Part codes >>><br>Retail >>> | MSP1.0M-S<br>85.00  | MSP1.5M-S<br>100.00 | MSP2.0M-S<br>110.00 |
|                                                               | 16 AWG / 1.25mm <sup>2</sup><br>OCC-7N copper conductors<br>Fluxfield cable design - COMPOSILEX insulation<br>silver-clad copper alloy plugs      | Part codes >>><br>Retail >>> | MEP1.0M-S<br>160.00 | MEP1.5M-S<br>200.00 | MEP2.0M-S<br>240.00 |

| POWER CONDITIONING CORDS<br>Standard: US, EU, UK wall plug to IEC C13,<br>C19 or PowerCON custom termination is<br>available for an upcharge. | Materials & Design<br>Ultra-quiet. Flexible flat design bends and<br>coils easilv. Longer lengths are more effective.                                 |                              | Standard Lengths    |                     |                     |                     | Custom lengths and custom terminations |                       |                                    |                                    |
|-----------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|---------------------|---------------------|---------------------|---------------------|----------------------------------------|-----------------------|------------------------------------|------------------------------------|
|                                                                                                                                               |                                                                                                                                                       |                              | 1.0M<br>(40 in.)    | 1.5M<br>(5 feet)    | 2.0M<br>(6.5 feet)  | 3.0M<br>(10 feet)   | \$ / meter<br>of cable                 | \$ / foot<br>of cable | Assembly<br>Charge<br>15A(IEC-C13) | Assembly<br>Charge<br>20A(IEC-C19) |
|                                                              | 12 AWG/3mm <sup>2</sup><br>oxygen-free copper conductors<br>Fluxfield cable design - COMPOSILEX 2 insulation<br>silver-clad copper alloy plugs        | Part codes >>><br>Retail >>> | STP1.0M<br>135.00   | STP1.5M<br>150.00   | STP2.0M<br>190.00   | STP3.0M<br>250.00   | STPM000<br>60.00                       |                       | STPTERM<br>360.00                  | STP20AMP<br>360.00                 |
|                                                              | 12 AWG/3mm <sup>2</sup><br>silver-clad OFC conductors<br>Fluxfield cable design - COMPOSILEX 2 insulation<br>silver-clad copper alloy plugs           | Part codes >>><br>Retail >>> | AUP1.0M<br>190.00   | AUP1.5M<br>240.00   | AUP2.0M<br>290.00   | AUP3.0M<br>380.00   | AUPM000<br>100.00                      |                       | AUPTERM<br>430.00                  | AUP20AMP<br>430.00                 |
|                                                              | 12 AWG/3mm <sup>2</sup><br>OCC-7N copper conductors<br>Fluxfield cable design - COMPOSILEX 2 insulation<br>silver-clad copper alloy plugs             | Part codes >>><br>Retail >>> | ELP1.0M<br>260.00   | ELP1.5M<br>330.00   | ELP2.0M<br>400.00   | ELP3.0M<br>540.00   | ELPM000<br>140.00                      |                       | ELPTERM<br>400.00                  | ELP20AMP<br>400.00                 |
|                                                              | 12 AWG/3mm <sup>2</sup><br>OCC-7N silver-clad copper conductors<br>Fluxfield cable design - COMPOSILEX 2 insulation<br>silver-clad copper alloy plugs | Part codes >>><br>Retail >>> | SEP1.0M<br>500.00   | SEP1.5M<br>625.00   | SEP2.0M<br>750.00   | SEP3.0M<br>1,000.00 | SEPM000<br>250.00                      |                       | SEPTERM<br>440.00                  | SEP20AMP<br>440.00                 |
|                                                              | 12 AWG/3mm <sup>2</sup><br>OCC-7N solid silver conductors<br>Fluxfield cable design - COMPOSILEX 2 insulation<br>OCC silver-clad copper contacts      | Part codes >>><br>Retail >>> | PEP1.0M<br>2,200.00 | PEP1.5M<br>2,900.00 | PEP2.0M<br>3,600.00 | PEP3.0M<br>5,000.00 | PEPM000<br>1,400.00                    |                       | PEPTERM<br>800.00                  | PEP20AMP<br>800.00                 |

|                                                                                                                                                                                                                                                                                                                                                         |                |                                                                                    |                              |                     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|------------------------------------------------------------------------------------|------------------------------|---------------------|
| <b>POWER CORD<br/>CONNECTOR UPGRADE</b><br>Standard & custom lengths<br><br>• Silver-clad copper alloy contacts<br>• Flat clamp for STP / AUP / ELP / SEP only<br>• Standard lengths may be upgraded with this connector<br>• All custom length cords and standard length upgraded cords will be priced<br>according to the custom pricing chart above. | 15 AMP IEC C13 |   | Part codes >>><br>Retail >>> | PCSVRIEC<br>80.00   |
|                                                                                                                                                                                                                                                                                                                                                         |                |   | Part codes >>><br>Retail >>> | PCSVRELI<br>80.00   |
|                                                                                                                                                                                                                                                                                                                                                         |                |   | Part codes >>><br>Retail >>> | PCSVRIUS<br>80.00   |
| <b>POWER CORD<br/>CONNECTOR UPGRADE</b><br>Standard & custom lengths<br><br>• OCC 7N Silver-clad contacts<br>• Flat clamp for PEP<br>• All Platinum Electra Power Cord are assembled with these connectors<br>• Available for European Schuko and US wall plugs                                                                                         | 20 AMP IEC C19 |   | Part codes >>><br>Retail >>> | PCSVR20AMP<br>80.00 |
|                                                                                                                                                                                                                                                                                                                                                         |                |   | Part codes >>><br>Retail >>> | PCOCCIEC<br>140.00  |
|                                                                                                                                                                                                                                                                                                                                                         |                |   | Part codes >>><br>Retail >>> | PCOCCIEU<br>140.00  |
|                                                                                                                                                                                                                                                                                                                                                         |                |  | Part codes >>><br>Retail >>> | PCOCCUS<br>140.00   |

| POWER CORD ADAPTERS         |                  |                                                                                      |
|-----------------------------|------------------|--------------------------------------------------------------------------------------|
| Part code >>><br>Retail >>> | GNDLIFT<br>6.00  |   |
| Part code >>><br>Retail >>> | IECMFG8<br>10.00 |   |
| Part code >>><br>Retail >>> | IECM2F<br>20.00  |   |
| Part code >>><br>Retail >>> | IECM1F<br>10.00  |   |
| Part code >>><br>Retail >>> | ADPC7C8<br>6.00  |  |

|                                                                                        |                                                                                     |                             |                  |
|----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-----------------------------|------------------|
| <b>MATRIX 2</b><br>OFC, star-wired, rack<br>mountable, shielded<br>power cord extender |  | Part code >>><br>Retail >>> | MATRIX<br>149.00 |
|----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-----------------------------|------------------|

| SPEAKER CABLE CONNECTORS<br>(shrink tubing not included) |                                                                                       |                             |                     |
|----------------------------------------------------------|---------------------------------------------------------------------------------------|-----------------------------|---------------------|
| SET OF 8 UNI-TERM<br>GOLD SPADES                         |    | Part code >>><br>Retail >>> | SPDGUTM08<br>100.00 |
| SET OF 16 UNI-TERM<br>GOLD SPADES                        |                                                                                       | Part code >>><br>Retail >>> | SPDGUTM16<br>190.00 |
| SET OF 8 UNI-TERM<br>SILVER SPADES                       |    | Part code >>><br>Retail >>> | SPDSUTM08<br>120.00 |
| SET OF 16 UNI-TERM<br>SILVER SPADES                      |                                                                                       | Part code >>><br>Retail >>> | SPDSUTM16<br>230.00 |
| SET OF 8 UNI-TERM<br>GOLD BANANAS                        |  | Part code >>><br>Retail >>> | BANGUTM08<br>100.00 |
| SET OF 16 UNI-TERM<br>GOLD BANANAS                       |                                                                                       | Part code >>><br>Retail >>> | BANGUTM16<br>190.00 |
| SET OF 8 UNI-TERM<br>SILVER BANANAS                      |  | Part code >>><br>Retail >>> | BANSUTM08<br>120.00 |
| SET OF 16 UNI-TERM<br>SILVER BANANAS                     |                                                                                       | Part code >>><br>Retail >>> | BANSUTM16<br>230.00 |

| UNI-TERM SOCKETS - EXCHANGE BANANAS AND SPADES |                                                                                     |                             |                    |
|------------------------------------------------|-------------------------------------------------------------------------------------|-----------------------------|--------------------|
| SOCKET Single<br>with Set Screw                |  | Part code >>><br>Retail >>> | SOCKET<br>5.00     |
| SET OF 16 GOLD<br>BANANAS FOR EXCHANGING       |  | Part code >>><br>Retail >>> | BANGEX16<br>120.00 |

|                                                                          |                                                                                       |                             |                    |
|--------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-----------------------------|--------------------|
| SILVER LOCKING<br>BANANA PLUGS (4-pack)<br>Silver-clad Brass             |  | Part code >>><br>Retail >>> | BANLK04<br>125.00  |
| GOLD 10aa<br>SET SCREW / BANANA (4-pack)<br>Gold / Silver / Copper Alloy |                                                                                       | Part code >>><br>Retail >>> | BANGCRP04<br>30.00 |

|                                         |                                                                                   |                             |                    |
|-----------------------------------------|-----------------------------------------------------------------------------------|-----------------------------|--------------------|
| SET OF 16 SILVER BANANAS FOR EXCHANGING |  | Part code >>><br>Retail >>> | BANSEX16<br>150.00 |
| SET OF 16 GOLD SPADES FOR EXCHANGING    |  | Part code >>><br>Retail >>> | SPDGEX16<br>120.00 |
| SET OF 16 SILVER SPADES FOR EXCHANGING  |  | Part code >>><br>Retail >>> | SPDSEX16<br>150.00 |

|                                                                                                    |                                                                                     |                             |                     |
|----------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-----------------------------|---------------------|
| GOLD 10ga.<br>SET SCREW / BANANA (50-pack)<br>Gold / Silver / Copper Alloy                         |  | Part code >>><br>Retail >>> | BANGCRP50<br>240.00 |
| GOLD 10ga.<br>SET SCREW / BANANA (50-pack)<br>NO SHELL, NO FERRULE<br>Gold / Silver / Copper Alloy |                                                                                     | Part code >>><br>Retail >>> | BANGCRN50<br>120.00 |

| 1/4 INCH (6.3mm) UNI-TERM SPADE LUGS                                 |                                                                                               |                             |                     |
|----------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|-----------------------------|---------------------|
| Dimensions                                                           |                                                                                               |                             |                     |
| GOLD-PLATED OFC<br>1/4" SPADE<br>Threaded for UNI-TERM and CRIMPABLE | .25" (6.3mm) inside<br>.49" (12mm) outside                                                    | Part code >>><br>Retail >>> | SPG1/4-01<br>7.00   |
| GOLD-PLATED OFC<br>1/4" SPADE<br>(8-pack)                            | <br>Threaded | Part code >>><br>Retail >>> | SPG1/4-08<br>60.00  |
| GOLD-PLATED OFC<br>1/4" SPADE<br>(50-pack) Bulk price                |                                                                                               | Part code >>><br>Retail >>> | SPG1/4-50<br>300.00 |
| SILVER-CLAD OFC<br>1/4" SPADE<br>Threaded for UNI-TERM and CRIMPABLE | .25" (6.3mm) inside<br>.49" (12mm) outside                                                    | Part code >>><br>Retail >>> | SPS1/4-01<br>10.00  |
| SILVER-CLAD OFC<br>1/4" SPADE<br>(8-pack)                            | <br>Threaded | Part code >>><br>Retail >>> | SPS1/4-08<br>80.00  |
| SILVER-CLAD OFC<br>1/4" SPADE<br>(50-pack) Bulk price                |                                                                                               | Part code >>><br>Retail >>> | SPS1/4-50<br>400.00 |

| TERMINATION KITS<br>for SPEAKER CABLES | Includes parts needed for 1 - pair of cables<br>SPADES AND BANANAS NOT INCLUDED |        |
|----------------------------------------|---------------------------------------------------------------------------------|--------|
|                                        | Part codes                                                                      | Retail |
| Single wired (SOS/LUS/STS)             | TKITSOS                                                                         | 10.00  |
| Bi-wired (SOB/LUB)                     | TKITSOB                                                                         | 15.00  |
| Single wired (OAS)                     | TKITOAS                                                                         | 100.00 |
| Bi-wired (OAB)                         | TKITOAB                                                                         | 110.00 |
| Single wired (EQS)                     | TKITEQS                                                                         | 100.00 |
| Bi-wired (EOB)                         | TKITEOB                                                                         | 110.00 |
| Single wired (MES)                     | TKITMES                                                                         | 100.00 |
| Bi-wired (MEB)                         | TKITMEB                                                                         | 110.00 |
| Single wired (ECS)                     | TKITECS                                                                         | 180.00 |
| Bi-wired (ECB)                         | TKITECB                                                                         | 190.00 |
| Single wired (SES)                     | TKITSES                                                                         | 180.00 |
| Bi-wired (SEB)                         | TKITSEB                                                                         | 190.00 |
| Single wired (GES)                     | TKITGES                                                                         | 180.00 |
| Bi-wired (GEB)                         | TKITGEB                                                                         | 190.00 |
| Single wired (RES)                     | TKITRES                                                                         | 240.00 |
| Bi-wired (PEB)                         | TKITPEB                                                                         | 250.00 |

| INTERCONNECT CONNECTORS (shrink tubing included)           |                                                                                     |                                                          |                             |
|------------------------------------------------------------|-------------------------------------------------------------------------------------|----------------------------------------------------------|-----------------------------|
| Gold Tube RCA for<br>LUT / SOI / CRV / UVV                 |    | Part code >>><br>Retail >>>                              | RCAM6.5MM<br>10.00          |
| Gold Tube RCA pair for<br>LUT / SOI / CRV / UVV            |                                                                                     | Part code >>><br>Retail >>>                              | RCAM6.5PR<br>20.00          |
| Silver Tube RCA for<br>OAI / EQI / STV                     |    | Part code >>><br>Retail >>>                              | RCAM8.5MM<br>15.00          |
| Silver Tube RCA pair for<br>OAI / EQI / STV                |                                                                                     | Part code >>><br>Retail >>>                              | RCAM8.5PR<br>30.00          |
| Silver Tube RCA for<br>ECI / SEI / GEI / SSV / GSV         |    | Part code >>><br>Retail >>>                              | RCAM11MM<br>30.00           |
| Silver Tube RCA pair for<br>ECI / SEI / GEI / SSV / GSV    |                                                                                     | Part code >>><br>Retail >>>                              | RCAM11PR<br>60.00           |
| Silver Tube Carbon Fiber RCA for<br>PEI / PSV              |  | Part code >>><br>Retail >>>                              | RCAMPEI<br>70.00            |
| XLR<br>for OBI & QBI                                       |  | Part code Female >>><br>Part code Male >>><br>Retail >>> | XLRF5VR<br>XLRM5VR<br>20.00 |
| XLR pair<br>for OBI & QBI                                  | 1 Male and 1 female                                                                 | Part code >>><br>Retail >>>                              | XLRSVRPR<br>40.00           |
| XLR Reference                                              |  | Part code Female >>><br>Part code Male >>><br>Retail >>> | XLRFREF<br>XLRMREF<br>40.00 |
| XLR Reference<br>pair                                      | 1 Male and 1 female                                                                 | Part code >>><br>Retail >>>                              | XLRFREFPR<br>75.00          |
| Mini Jack<br>8.5mm opening<br>small diameter shell         |  | Part code >>><br>Retail >>>                              | MJK3.5AL<br>15.00           |
| RJ45 ETHERNET PLUG<br>Field termination<br>shrink included |  | Part code >>><br>Retail >>>                              | RJ45STE<br>30.00            |

| PROGOLD CONTACT TREATMENT                              |                                                                                     |                             |                  |
|--------------------------------------------------------|-------------------------------------------------------------------------------------|-----------------------------|------------------|
| PROGOLD<br>(2ml. squeeze tube)<br>Improves performance |  | Part code >>><br>Retail >>> | PROGOLD<br>10.00 |
| DEOXIT                                                 |  | Part code >>>               | DEOXIT           |

|                                                                             |                                                                                     |                                                                                   |                             |                     |
|-----------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------|---------------------|
| (2ml. squeeze tube)<br>cleans contacts thoroughly                           |                                                                                     |  | Retail >>>                  | 10.00               |
| Rejuvenation Kit<br>1 - Deoxit Wipe / 1 - ProGold Wipe / 1 - Cleaning Cloth |                                                                                     |                                                                                   | Part code >>><br>Retail >>> | REJUVKIT<br>15.00   |
| <b>POINT-OF-PURCHASE (POP) Materials</b>                                    |                                                                                     |                                                                                   |                             |                     |
| CABLE BOARD<br>Balanced Digital                                             |    |                                                                                   | Part code >>><br>Retail >>> | BOARDBD<br>40.00    |
| CABLE BOARD<br>Digital                                                      |    |                                                                                   | Part code >>><br>Retail >>> | BOARDDV<br>40.00    |
| CABLE BOARD<br>Ethernet                                                     |    |                                                                                   | Part code >>><br>Retail >>> | BOARDCAT<br>40.00   |
| CABLE BOARD<br>HDMI                                                         |    |                                                                                   | Part code >>><br>Retail >>> | BOARDHD<br>40.00    |
| CABLE BOARD<br>Interconnect                                                 |    |                                                                                   | Part code >>><br>Retail >>> | BOARDIC<br>40.00    |
| CABLE BOARD<br>Reference Interconnect                                       |    |                                                                                   | Part code >>><br>Retail >>> | BOARDREFIC<br>40.00 |
| CABLE BOARD<br>Power Cords                                                  |    |                                                                                   | Part code >>><br>Retail >>> | BOARDPC<br>40.00    |
| CABLE BOARD<br>Speaker                                                      |   |                                                                                   | Part code >>><br>Retail >>> | BOARDSP<br>40.00    |
| CABLE BOARD<br>Reference Speaker                                            |  |                                                                                   | Part code >>><br>Retail >>> | BOARDREFSP<br>40.00 |
| USB (A and Micro B)<br>FLASH DRIVE<br>16 Gig                                |  |                                                                                   | Part code >>><br>Retail >>> | KEYDRIVE<br>20.00   |
| POCKET FOLDER<br>9x12"                                                      |  |                                                                                   | Part code >>><br>Retail >>> | FOLDER<br>0.00      |
| EVA CASE                                                                    |  | LARGE.                                                                            | Part code >>><br>Retail >>> | CASEREFM<br>15.00   |
|                                                                             |                                                                                     | SMALL.                                                                            | Part code >>><br>Retail >>> | CASEREFS<br>10.00   |
| PVC FLEXI SIGN                                                              |  | LARGE 32 x 13.75".                                                                | Part code >>><br>Retail >>> | WWSIGN32<br>50.00   |
|                                                                             |                                                                                     | SMALL 15 x 7.5".                                                                  | Part code >>><br>Retail >>> | WWSIGN<br>30.00     |